

Stainless Flat Washer

Flat Washers – Industrial 18-8 and 316 Stainless Steel

WCOM188--- WCOM316---

Size	OD	ID	Thickness
#12	9/16	.250	.050
¼	5/8	.281	.050
5/16	¾	.343	.050
3/8	7/8	.406	.050
7/16	1-1/8	.500	.062
½	1-1/4	.531	.062
9/16	1-3/8	.625	.078
5/8	1-1/2	.687	.078
¾	1-7/8	.812	.109
7/8	2	.937	.109
1	2	1.062	.125
1-1/8	2-1/2	1.187	.125
1-1/4	2-3/4	1.312	.125
1-3/8	3-1/4	1.50	.140
1-1/2	3-1/4	1.562	.140
1-3/4	3-1/2	1.812	.140
2	4	2.125	.187

Note: Washers may vary +/- .007

800 Series Industrial and MS15795

WMS15795-801

Size	OD	ID	Thickness		Part Number
			Max	Min	
0	.187	.078	.025	.016	-801
2	.250	.093	.025	.016	-802
4	.250	.125	.040	.017	-803
4	.312	.125	.048	.025	-804
6	.312	.156	.065	.027	-805
6	.375	.156	.065	.036	-806
8	.375	.187	.065	.036	-807
10	.437	.218	.080	.036	-808
10	.562	.250	.080	.051	-809
*¼	.625	.281	.080	.051	-810
¼	.750	.312	.080	.051	-811
*5/16	.687	.343	.080	.051	-812
5/16	.875	.375	.104	.064	-813
3/8	.812	.406	.080	.051	-814
*3/8	1.000	.437	.104	.064	-815
7/16	.921	.468	.080	.051	-816
7/16	1.250	.500	.104	.064	-817
*½	1.062	.531	.121	.074	-818
½	1.375	.562	.132	.086	-819
*5/8	1.312	.656	.121	.074	-820
5/8	1.750	.687	.160	.108	-821
*¾	1.50	.812	.160	.108	-822
¾	2.000	.812	.177	.122	-823
7/8	1.750	.937	.160	.108	-824
7/8	2.250	.937	.192	.136	-825
1	2.000	1.062	.160	.108	-826
1	2.500	1.062	.192	.136	-827
8	4.38	.188	.065	.036	-841
*10	.500	.219	.065	.036	-842

* SAE

Flat Washers – 316 (small sizes)

WCOM316---

Size	OD	ID	Thk
4	.312	.125	.031
6	.312	.156	.031
8	.375	.174	.031
10	.437	.203	.031

Fender Washers and Unusual OD

WF188----- WF316-----

Size	OD	ID	Thk
#6	5/8	.149	.031
#8	¾	.174	.040
#10	11/16	.203	.040
#10	¾	.203	.040
#10	1	.203	.040
1/4	11/16	.281	.050
1/4	1	.281	.050
¼	1-1/4	.281	.050
1/4	1-1/2	.281	.062
¼	2	.281	.062
5/16	1	.343	.050
5/16	1-1/4	.343	.050
5/16	1-1/2	.343	.062
5/16	2	.343	.062
3/8	1	.406	.050
3/8	1-1/4	.406	.050
3/8	1-1/2	.406	.062
3/8	2	.406	.062
½	1-1/2	.531	.062
½	2	.531	.062
¾	1-3/4	.812	.109
3/4	2	.812	.125

Note: Washers may vary +/- .007

900 Series - Industrial and ANC960C

WAN960C6L

Size	OD	ID	Thk
*C2	.250	.099	1/32
C2L	.250	.099	1/64
*C3	.250	.109	1/32
C3L	.250	.109	1/64
*C4	.312	.125	1/32
C4L	.312	.125	1/64
*C5	.438	.140	3/64
*C6	.375	.149	1/32
C6L	.375	.149	1/64
*C8	.375	.174	1/32
C8L	.375	.174	1/64
*C10	.437	.203	1/16
C10L	.437	.203	1/32
C416	.500	.265	1/16
C416L	.500	.265	1/32
C516	.562	.382	1/16
C516L	.562	.382	1/32
C616	.625	.390	1/16
C616L	.625	.390	1/32
C716	.750	.453	1/16
C716L	.750	.453	1/32
C816	.875	.516	1/16
C816L	.875	.516	1/32
C916	1.062	.578	1/16
C916L	1.062	.578	1/32
C1016	1.187	.641	1/16
C1016L	1.187	.641	1/32
C1216	1.312	.766	3/32
C1216L	1.312	.766	1/32
C1416	1.500	.890	3/32
C1616	1.750	1.016	3/32

*Popular Size

Stainless Flat Washer

NAS Stainless

Size	OD	ID	Thk
0	.099	.063	.016
2	.149	.089	.016
3	.180	.102	.032
3L	.180	.102	.016
4	.209	.115	.032
4L	.209	.15	.016
5	.238	.128	.032
5L	.238	.128	.016
6	.267	.143	.032
6L	.267	.143	.016
8	.304	.169	.032
8L	.304	.169	.016
10	.354	.195	.063
10L	.354	.195	.032
416	.468	.255	.063
416L	.468	.255	.032

1-1/2	3.500	1.562	.156
-------	-------	-------	------

Flat Washers - Silicon Bronze WCOMSLB---

Size	OD	ID	Thk
6L	.375	.174	.032
8S	.375	.172	.032
10S	.437	.200	.036
12S	.500	.228	.040
1/4L	.687	.260	.040
5/16S	.750	.340	.062
5/16L	.875	.340	.062
3/8S	.875	.392	.062
3/8L	1.000	.392	.062
7/16	1.125	.500	.062
1/2S	1.250	.562	.078
5/8S	1.500	.687	.091
3/4S	1.875	.812	.102
7/8	2.250	.937	.114
1	2.500	1.062	.128

Flat Washers - Brass

WCOMBRS---

Size	OD	ID	Thk
2S	.187	.099	.020
3	.250	.101	.020
4	.281	.120	.025
5	.281	.133	.025
6S	.312	.147	.025
6L	.375	.147	.032
8S	.375	.172	.032
8L	.437	.172	.036
10S	.437	.200	.036
10L	.50	.200	.040
12S	.500	.228	.040
12L	.562	.228	.040
4S	.562	.260	.040
4L	.687	.260	.051
16S	.625	.281	.040
16L	.750	.281	.062
18S	.687	.310	.051
18L	.875	.310	.062
5/16S	.750	.340	.062
1/16L	.875	.340	.062
3/8S	.875	.392	.062
3/8L	1.000	.392	.081
7/16	1.125	.500	.081
1/2S	1.250	.562	.091
1/2L	1.375	.562	.091
9/16	1.500	.625	.091
5/8S	1.500	.687	.102
5/8L	1.75	.687	.102
3/4S	1.875	.812	.114
3/4L	2.000	.812	.114
7/8	2.250	.937	.128
1	2.500	1.062	.144
1-1/8	2.750	1.187	.156
1-1/4	3.000	1.312	.156